

MARVIN
VIVID™
COLLECTION

MARVIN® 

BOLDLY INNOVATIVE



CATALOG

Five Collections. One Legacy of Innovation.

Realize your unique vision, down to the last detail, with Marvin.

Born out of a legacy of innovation, the Marvin portfolio sets the highest standards in quality you can see and feel. Each premium collection blends inspired design and materials that perform.

Through expertly crafted architectural detailing, industry-leading engineering, and true partnership, Marvin helps open up a world of possibilities.

MARVIN ULTIMATE™ COLLECTION



Endless Possibilities

Realize unique visions with endless design possibilities, each meticulously crafted.

INTERIORS

Wood

Six species options + custom, two painted or primed options, six stains + Clear Coat

EXTERIORS

Extruded Aluminum

19 colors + custom

Wood

Three species + custom

SIZING

Standard + custom sizing for replacement, remodeling, or new construction

HARDWARE

Extensive selection including Marvin Gallery Hardware

COASTAL + WATERFRONT

Hurricane Impact Zones 3 (IZ3) + Performance Grade 50 products (PG50)

MARVIN MODERN™ COLLECTION



Authentically Modern

Achieve authentic modern architecture with expansive views and strong thermal performance.

INTERIORS

Extruded Aluminum

Five color options

EXTERIORS

High-Density Fiberglass

Five color options

SIZING

Custom sizing for remodeling or new construction

HARDWARE

Minimalist hardware for modern design aesthetic

COASTAL + WATERFRONT

Not available with Impact Zone (IZ) rating

MARVIN VIVID™ COLLECTION



Boldly Innovative

Complement transitional to contemporary architecture with dramatic sizes, durability, and energy efficiency.

INTERIORS

Fiberglass Reinforced Composite

Windows: Two color options

Ultrax Fiberglass

Doors: Two color options

EXTERIORS

Ultrax Fiberglass

Four color options

SIZING

Standard + custom sizing for replacement, remodeling, or new construction

HARDWARE

Available in four finish options with two door handle styles

COASTAL + WATERFRONT

Not available with Impact Zone (IZ) rating

MARVIN ELEVATE® COLLECTION



Beauty Meets Durability

Find the most in-demand traditional window and door types with natural wood interiors and Ultrax® fiberglass exteriors.

INTERIORS

Wood

Bare Pine, painted Designer Black, painted White, or Clear Coat

EXTERIORS

Ultrax Fiberglass

Six color options

SIZING

Standard + custom sizing for replacement, remodeling, or new construction

HARDWARE

Available in six finish options with two door handle styles

COASTAL + WATERFRONT

Hurricane Impact Zone 3 (IZ3) + Performance Grade 50 products (PG50)

MARVIN ESSENTIAL® COLLECTION



Streamlined Design

Choose from a streamlined selection featuring proprietary Ultrax fiberglass interiors and exteriors.

INTERIORS

Ultrax Fiberglass

Four color options

EXTERIORS

Ultrax Fiberglass

Six color options

SIZING

Standard + custom sizing for replacement, remodeling, or new construction

HARDWARE

Available in six finish options with one door handle style

COASTAL + WATERFRONT

Not available with Impact Zone (IZ) rating



Table of Contents

COLLECTION	04 Marvin Vivid™ Collection
	06 Ultrex® Fiberglass
	10 Designed For Pros

WINDOWS	12 Windows Introduction
	14 Casement
	16 Awning
	18 Direct Glaze
	20 Specialty Shapes

DOORS	22 Doors Introduction
	24 Bi-Fold
	26 Sliding Patio
	28 Sliding French
	30 Swinging French

OPTIONS	32 Options Introduction
	34 Interior + Exterior Finish Options
	35 Hardware
	36 Exterior Trim
	37 Glass + Divided Lites
	38 Simulated Checkrails + Accessibility Options
	39 Simple + Efficient Installation

VIVID DIRECT
GLAZE WINDOWS
Stone White

MARVIN
VIVID™
COLLECTION

Bold Design. Bolder Sizes.

When dramatic sizes, durability, performance, and energy efficiency are your top priorities, go boldly with the Marvin Vivid collection. Vivid products feature low-maintenance beauty, thanks to our innovative, proprietary Ultrex® fiberglass. A wide range of sizes and configurations—and a refined fit and finish—make Vivid an inspired choice for transitional to contemporary projects.

ARCHITECTURAL RANGE

BOLD PERFORMANCE

REFINED FIT AND FINISH

AWNING, CASEMENT, CASEMENT PICTURE,
DIRECT GLAZE WINDOWS, SLIDING PATIO DOORS
Pebble Gray



Why Materials Matter

Proprietary Ultrex Fiberglass

Innovative Ultrex® fiberglass was pioneered by Marvin as one of the first premium composites on the market.

Ultrex fiberglass features high-density woven fibers bound by a thermally set resin, making it much more resistant to pressure and temperature shifts than wood-vinyl composites.

Fiberglass Reinforced Composite

Used exclusively on Vivid™ window interiors, a proprietary fiberglass reinforced composite features a premium acrylic-based finish for low-maintenance beauty that lasts.



EXTERIOR
Proprietary Ultrex Fiberglass



INTERIOR
Fiberglass Reinforced Composite

Strength

The strength of Ultrex fiberglass translates into long-term ease of operation, minimal maintenance, and superior performance.

Stability

By expanding and contracting at nearly the same rate as glass, Marvin windows and doors made with Ultrex fiberglass are more resistant to leaks and seal failures.

Finish


The proprietary acrylic finish is 3x thicker than competitive painted options, and resistant to chipping, chalking, or fading.

Energy Efficiency

Ultrex fiberglass combined with energy-efficient glass options can help manage the amount of light and heat entering and leaving your home.

How It's Made

Ultrex fiberglass is a composite material made of fine glass fibers woven into a cloth then bonded together with a formulated polyester resin. The continuous strands of fiberglass give Ultrex its strength in resisting breakage.



1

Raw Fiberglass Strands

Thin strands of strong glass cables are saturated with specifically compounded resins.

2

Pultruded Fiberglass

The strands are pulled through a heated die and cut with diamond-edged blades to form Ultrex fiberglass.

3

Proprietary Acrylic Finish

A proprietary acrylic finish is then applied; it's smoother and 3x thicker than other brands.

Strength Matters

Ultrex fiberglass is 8x stronger than vinyl and has a low thermal expansion rate. It is heat resistant, non-corrosive, and has low conductivity.

Ultrex fiberglass bends and flexes less than vinyl. This helps maintain the window seals and operation year after year.

The strength of Ultrex fiberglass allows for a reduced frame thickness that supports more visible glass, creating a larger view.

Durable material weathers better against everyday wear and stands the test of time.

ULTREX FIBERGLASS IS

8x

stronger than vinyl

3x

stronger than Fibrex®




More Glass, More Value

This resistance to bending means we can reduce the frame thickness without impacting the window's structural integrity. This allows for more glass, expansive views and daylight openings, and less window frame.



Ultrex fiberglass provides larger views



Thicker vinyl profiles can restrict views

Stability You Can Count On

Constant expansion and contraction can gradually break down windows and doors, causing leaky seals, poor operation, and loss of structural integrity.

Ultrax® fiberglass expands and contracts at virtually the same rate as glass, so Marvin Vivid™ windows and doors stay tight and true over time, resisting air leaks, seal failures, and stress cracks that can compromise energy efficiency and long-term performance.

This low rate of expansion and contraction also allows windows and doors to open and close on demand without sticking or binding from swelling, warping, material distortion, or deformation from the heat.

ULTRAX FIBERGLASS HAS


75%

less expansion than Fibrex®


87%

less expansion than vinyl

IN EXTREME WEATHER CONDITIONS



Ultrax fiberglass stays true



Vinyl can expand

Lasting Performance

Proprietary Ultrax fiberglass finish resists scratches, chalking, and fading—even in dark colors

Exteriors can be painted to match any home

Virtually maintenance free—no sanding, scraping, or painting care needed

Finish is 3x thicker than competitive painted options

A Long-Term Finish

Marvin Ultrax fiberglass finish is verified to the American Architectural Manufacturers Association (AAMA) 624 specification. Achieving AAMA 624 verification means that our finish has passed rigorous tests that simulate the harsh conditions encountered throughout the life of a window or door.

Ultrax fiberglass uses an acrylic finish that is paintable, fade resistant, and virtually maintenance free. With a finish that's 3x thicker than competitive painted options, it resists chipping, denting, and peeling.

Energy Efficiency

The low thermal conductivity and superior performance of Ultrax fiberglass combine with a selection of energy-efficient glazing (glass) options that help manage the amount of light and heat entering and leaving your home.

Top-Rated Efficiency

Windows and doors with low conductivity reduce heat loss in homes, which translates to lower energy bills.* Ultrax fiberglass provides an insulated barrier against extreme weather temperatures, keeping homes comfortable and reducing heating and cooling costs.

Energy Savings

Low-E glass coatings are designed to reflect heat, keeping homes cooler in the summer and warmer on winter nights while also blocking harmful UV rays and reducing energy costs.

Low-E coatings have three main functions:

Insulation (energy efficiency)

By reflecting heat, the coating significantly reduces solar heat gain in summer and heat loss in winter, helping to maintain a stable indoor temperature.

Solar Control (heat gain reduction)

In warm weather, the coating reflects short-wave infrared energy from the sun away from the building, which helps keep indoor spaces cooler by blocking solar heat gain.


UV Protection (reduces UV damage)

The coating reduces a significant percentage of harmful UV rays, helping prevent fading of furniture, rugs, and other interiors.




SUMMER DAY

LOW-E GLAZING



WINTER NIGHT

LOW-E GLAZING



* Replacing old windows with ENERGY STAR certified windows lowers household energy bills by an average of up to 13% nationwide when replacing single-pane windows. Lower energy consumption also reduces greenhouse gas emissions from power plants and homes.
https://www.energystar.gov/products/res_windows_doors_skylights

Designed With Pros in Mind

Every project has its own requirements, and Marvin is equipped to meet those challenges. Our unique Ultrex® fiberglass material, available factory services, and network of dedicated service and support personnel make the Marvin Vivid™ collection the perfect choice – no matter the project.

fig. 1 DIRECT GLAZE WINDOWS
Ebony

fig. 2 DIRECT GLAZE, DIRECT GLAZE
SPECIALTY SHAPE WINDOWS,
INSWING FRENCH DOOR
Bronze



fig. 1

Easy to Order, Simple to Install

The Vivid collection offers a range of standard sizes, along with bold custom sizes to make the order process straightforward. Easy window installation begins with a solid flat frame for convenient shimming and alignment. Other advantages include a rigid window nailing fin with mitered corners, streamlined field mulling, and the ability to mull within the rough opening with mull reinforcement (MRF).



fig. 2

Full Warranty Coverage

A family-owned and -led company with a legacy of innovation since 1912, Marvin backs its products with industry-leading warranties. The Vivid collection is backed by a fully transferable 20/10 warranty, 20-year coverage on glass, and 10-year coverage on manufacturing materials and workmanship.

Windows

Choose from Casement, Awning, Direct Glaze, and Specialty Shape windows to complement your project's architectural style.

DIRECT GLAZE, DIRECT GLAZE SPECIALTY SHAPE WINDOWS,
SLIDING PATIO DOOR, INSWING FRENCH DOOR
Bronze



Casement

The Marvin Vivid™ Casement window, featuring Ultrex® fiberglass exteriors and reinforced fiberglass composite interiors, is a side-hinged, crank-out window built for smooth operation, clean sightlines, and dramatic maximum sizes.



fig. 1

fig. 1 **CASEMENT WINDOW, INSWING FRENCH DOOR**
Stone White

fig. 2 **INTERIOR VIEW**
Stone White

fig. 3 **EXTERIOR VIEW**
Pebble Gray

fig. 4 **CASEMENT, AWNING WINDOWS, INSWING FRENCH DOOR**
Ebony



fig. 2




fig. 3



fig. 4

FEATURES

Invite more natural light into your home with bold maximum sizes, including widths up to 3'6" and heights up to 8'

Certified to standard performance ratings up to PG50 for air, water, and structural integrity

Excellent energy performance, with options to meet or exceed ENERGY STAR® V7 throughout the United States

Superior strength and durability over vinyl cladding, roll-form aluminum, and wood/vinyl composites

Proprietary Ultrex fiberglass exteriors and reinforced fiberglass composite interiors

A proprietary AAMA 624-verified acrylic finish resists fading and scratches, even in darker colors. Plus, Vivid products stay beautiful over time with very little maintenance.

Every detail is aesthetically smooth and clean, thanks to engineered components that eliminate overlapping materials or joint welds

Coordinating picture windows also available

Interior screen features an aluminum surround and concealed pressure mounting points for ease of operation and enhanced aesthetics

Awning

Marvin Vivid™ Awning windows have a single sash hinged at the top of the frame. The sash swings out from the bottom, using a manual handle. Position them high on the wall as privacy windows or in concert with matching windows as complementary sources of light and fresh air.

fig. 1 **AWNING WINDOW, SLIDING FRENCH DOOR**
Stone White

fig. 2 **INTERIOR VIEW**
Stone White

fig. 3 **EXTERIOR VIEW**
Ebony

fig. 4 **AWNING WINDOWS**
Ebony



fig. 1




fig. 2




fig. 3



fig. 4

FEATURES

Invite more natural light into your home with bold maximum sizes, including widths up to 6' and heights up to 5'

Certified to standard performance ratings up to PG50 for air, water, and structural integrity

Excellent energy performance, with options to meet or exceed ENERGY STAR® V7 throughout the United States

Superior strength and durability over vinyl cladding, roll-form aluminum, and wood/vinyl composites

Proprietary Ultrex fiberglass exteriors and reinforced fiberglass composite interiors

A proprietary AAMA 624-verified acrylic finish resists fading and scratches, even in darker colors. Plus, Vivid products stay beautiful over time with very little maintenance.

Every detail is aesthetically smooth and clean, thanks to engineered components that eliminate overlapping materials or joint welds

Coordinating picture windows also available

Interior screen features an aluminum surround and concealed pressure mounting points for ease of operation and enhanced aesthetics

Direct Glaze

Marvin Vivid™ Direct Glaze windows are a perfect way to frame your scenic outdoor views. These non-opening windows are designed for maximum light and visual impact and can make all the difference in a room.

fig. 1 DIRECT GLAZE WINDOWS
Ebony

fig. 2 INTERIOR VIEW
Stone White

fig. 3 EXTERIOR VIEW
Ebony

fig. 4 DIRECT GLAZE WINDOW
Ebony



fig. 1



fig. 2




fig. 3



fig. 4

FEATURES

Invite more natural light into your home with bold maximum sizes, including widths or heights up to 10'

Certified to standard performance ratings up to PG50 for air, water, and structural integrity

Excellent energy performance, with options to meet or exceed ENERGY STAR® V7 throughout the United States

Superior strength and durability over vinyl cladding, roll-form aluminum, and wood/vinyl composites

Proprietary Ultrex® fiberglass and innovative fiberglass composite materials

A proprietary AAMA 624-verified acrylic finish resists fading and scratches, even in darker colors. Plus, Vivid products stay beautiful over time with very little maintenance.

Every detail is aesthetically smooth and clean, thanks to engineered components that eliminate overlapping materials or joint welds

Specialty Shapes

Marvin Vivid™ Specialty Shape windows can be used to make bold design statements, maximize natural light, or brighten interior spaces. Available as triangles, trapezoids, or pentagons, they can be joined to create a distinctive contemporary combination.

fig. 1 DIRECT GLAZE RECTANGLE, SPECIALTY SHAPE WINDOWS, INSWING FRENCH DOOR
Ebony

fig. 2 INTERIOR VIEW
Stone White

fig. 3 EXTERIOR VIEW
Pebble Gray

fig. 4 SPECIALTY SHAPES



fig. 1



fig. 2




fig. 3




fig. 4

FEATURES

Invite more natural light into your home with bold maximum sizes up to 60 square feet

Certified to standard performance ratings up to PG50 for air, water, and structural integrity

Excellent energy performance, with options to meet or exceed ENERGY STAR® V7 throughout the United States

Superior strength and durability over vinyl cladding, roll-form aluminum, and wood/vinyl composites

Proprietary Ultrex fiberglass exteriors and reinforced fiberglass composite interiors

A proprietary AAMA 624-verified acrylic finish resists fading and scratches, even in darker colors. Plus, Vivid products stay beautiful over time with very little maintenance.

Every detail is aesthetically smooth and clean, thanks to engineered components that eliminate overlapping materials or joint welds

Doors

Showcase views and infuse your home with natural light and fresh air with Marvin Vivid™ doors.

CASEMENT WINDOW, SWINGING FRENCH DOOR
Stone White



Bi-Fold

Open up your home and let the outdoors in with the Marvin Vivid™ Bi-Fold door. The panels fold open and closed to transform your home and expand your view. The carefully engineered top-hung design allows for effortless operation and functionality.

- fig. 1* **AWNING, DIRECT GLAZE WINDOWS, BI-FOLD DOOR,**
Ebony
- fig. 2* **INTERIOR VIEW**
Stone White
- fig. 3* **EXTERIOR VIEW**
Ebony
- fig. 4* **CASEMENT, DIRECT GLAZE WINDOWS, BI-FOLD DOOR,**
Ebony



fig. 1



fig. 2



fig. 4



fig. 3

FEATURES

Custom configurations include up to 7 panels and 22' widths

Certified up to PG30 for air, water, and structural performance

Excellent energy performance, with options to meet ENERGY STAR® V7 throughout the United States

Superior strength and durability over vinyl cladding, roll-form aluminum, and wood/vinyl composites

Proprietary Ultrex® fiberglass resists fading over time, even in darker colors

Sliding Patio

Seamlessly connect your indoor and outdoor living spaces with the Marvin Vivid™ Sliding Patio door. Enjoy breathtaking views through large glass panels that fill your home with natural light, enhancing your home's interior.

fig. 1 AWNING, CASEMENT PICTURE, DIRECT GLAZE WINDOWS, SLIDING PATIO DOOR, Ebony

fig. 2 INTERIOR VIEW Stone White

fig. 3 EXTERIOR VIEW Ebony

fig. 4 AWNING, CASEMENT, DIRECT GLAZE WINDOWS, SLIDING PATIO DOOR, Pebble Gray



fig. 1



fig. 2



fig. 3



fig. 4

FEATURES

Configurations of two, three, or four panels, up to approximately 16' wide by 8' high

Certified up to PG40 for air, water, and structural performance

Excellent energy performance, with options to meet ENERGY STAR® V7 throughout the United States

Superior strength and durability over vinyl cladding, roll-form aluminum, and wood/vinyl composites

Proprietary Ultrex® fiberglass resists fading over time, even in darker colors

Sleek door profile offers expanded views and more daylight

Top-hung screen glides easily and won't get hung up on dirt or debris in the sill track

Available with a direct glaze transom window for increased natural light

Sliding French

Extend your home's livable space and invite the outdoors in with the Marvin Vivid™ Sliding French door. The classic French door design combines with easy sliding operation for beautiful, effortless operation.

fig. 1 **SLIDING FRENCH DOOR**
Stone White

fig. 2 **INTERIOR VIEW**
Stone White

fig. 3 **EXTERIOR VIEW**
Ebony

fig. 4 **SLIDING FRENCH DOOR**
Bronze



fig. 1



fig. 2



fig. 3



fig. 4

FEATURES

Configurations of two, three, or four panels, up to approximately 16' wide by 8' high

Certified up to PG40 for air, water, and structural performance

Excellent energy performance, with options to meet ENERGY STAR® V7 throughout the United States

Superior strength and durability over vinyl cladding, roll-form aluminum, and wood/vinyl composites

Proprietary Ultrex® fiberglass resists fading over time, even in darker colors

Space-saving sliding operation and traditional wider profile are carefully designed to complement your home's aesthetic

Top-hung screen glides easily and won't get hung up on dirt or debris in the sill track

Swinging French

Enhance your indoor and outdoor spaces with the classic Marvin Vivid™ Swinging French door, featuring durable, low-maintenance Ultrex® fiberglass inside and out. Choose inswing or outswing operation in a variety of configurations.

fig. 1 CASEMENT, AWNING WINDOWS, INSWING FRENCH DOOR
Stone White

fig. 2 INTERIOR VIEW
Stone White

fig. 3 EXTERIOR VIEW
Ebony

fig. 4 CASEMENT, AWNING WINDOWS, INSWING FRENCH DOOR
Ebony



fig. 1



fig. 2



fig. 3



fig. 4

FEATURES

Configurations of one, two, or three panels, with sizing up to approximately 9' wide x 8' high depending on operation

Certified up to PG40 for air, water, and structural performance

Excellent energy performance, with options to meet ENERGY STAR® V7 throughout the United States

Superior strength and durability over vinyl cladding, roll-form aluminum, and wood/vinyl composites

Proprietary Ultrex® fiberglass resists fading over time, even in darker colors

Wide profiles offer a timeless design that complements your home's aesthetic

Multi-point lock for enhanced security and weather resistance

Available in inswing or outswing design based on your preference or available space

Options

MARVIN VIVID™
DIRECT GLAZE WINDOWS
Ebony




Interior and Exterior Finish Options

Marvin Vivid™ windows feature the strength and durability of Ultrex® fiberglass on the exterior and an innovative fiberglass reinforced composite on the interior. Vivid doors feature Ultrex fiberglass inside and out. Acrylic finish colors are 3x thicker than competitive options and resist scratches, chipping, peeling, chalking, and fading, even in darker colors.

WINDOWS

Interior Colors Fiberglass Reinforced Composite




STONE WHITE



EBONY

Exterior Colors Ultrex Fiberglass



STONE WHITE



EBONY




PEBBLE GRAY



BRONZE

DOORS

Interior Colors Ultrex Fiberglass




STONE WHITE



EBONY

Exterior Colors Ultrex Fiberglass



STONE WHITE



EBONY



PEBBLE GRAY



BRONZE

Hardware Options

Window Hardware

Windows feature classic low-profile durable hardware for clean aesthetics, safety, and security.

FOLDING HANDLE



Available on Casement and Awning windows

LOCK HANDLE



Available on Casement and Awning windows

CAMBRIDGE



Available keyed-alike option (use one key on multiple locks, with up to three different keys on each project).

NORTHFIELD



Choose a distinct interior and exterior handle finish that matches or complements the interior and exterior color of your door.


WINDOW HARDWARE FINISH OPTIONS




STONE WHITE



SATIN NICKEL




MATTE BRONZE




MATTE BLACK


DOOR HARDWARE FINISH OPTIONS




WHITE



SATIN NICKEL*



OIL RUBBED BRONZE*




MATTE BLACK

* The Physical Vapor Deposition (PVD) process adds a layer of toughness to hardware exposed to environmental factors like direct sun and humidity. PVD finishes resist fading and discoloration, even in coastal areas. PVD has the highest grade corrosion resistant finish.

Exterior Trim Options


Ultrex® fiberglass exterior trim is offered with all Marvin Vivid™ products in all finish colors. The durability, performance, and look of windows and doors can be extended to the trim. Multiple configurations are available in lineal lengths and factory pre-cut kits in all four Vivid exterior colors.

EXTERIOR TRIM OPTIONS




Brick Mould

2" Brick Mould is available with or without 2-1/8" sill nosing.



Flat Trim

3-1/2" Flat Trim is available in Flat and Flat Ranch configurations with or without 2-1/8" sill nosing.



Sill Nose


2-1/8" Sill Nose provides authentic sill appearance.




Connection Barb

Barb and receiver attachment method provides for quick, secure installation.


WINDOW TRIM CONFIGURATIONS




BRICK MOULD




FLAT




FLAT RANCH



BRICK MOULD WITH SILL NOSE




FLAT WITH SILL NOSE




FLAT RANCH WITH SILL NOSE


DOOR TRIM CONFIGURATIONS*



BRICK MOULD



FLAT



FLAT RANCH

* Sill profiles are not included for door trim sets.

Glass Options

Glass is available with Standard Dual Pane or optional Triple Pane on select Marvin Vivid products. Available with Low E1, Low E2, Low E2/ERS, Low E3, and Low E3/ERS insulated glass with argon gas.* Options include glazing for sound abatement (STC/OITC), high altitudes, and California fire zones.


SPECIALTY GLASS OPTIONS



FROSTED




BRONZE TINT



GRAY TINT



GREEN TINT



REED



NARROW REED



OBSCURE



GLUE CHIP



RAIN

Divided Lites

The look of multiple individual panes of glass is popular in a wide range of architectural styles. Simulated Divided Lites (SDLs) and Grilles-Between-the-Glass (GBGs) mimic the look of these individual panes of glass without sacrificing energy efficiency. Divided lites available on select Vivid products.

Grilles-Between-the-Glass


GBGs are available in several popular lite cut options for a classic divided lite look and easy glass cleaning.† Available in Ebony and Stone White interior and Ebony, Bronze, Pebble Gray, and Stone White exterior.

Simulated Divided Lite

These bars permanently adhere to both sides of the glass for a more authentic look. Available with spacer bar and in several lite cut options.†



GRILLES-BETWEEN-THE-GLASS



SIMULATED DIVIDED LITE


* Argon gas not available in high elevations where capillary tubes are required
† For more options, visit marvin.com

Simulated Checkrails

Simulated checkrails are the perfect solution when aesthetics call for the beauty of a double hung, but operation, egress, or performance demand another solution. Specify placement of the horizontal simulated checkrail bar and the lite cut patterns above and below.

These illustrations offer a sampling of 7/8" SDL patterns that can be selected in combination with the 2" simulated checkrail on Casement, Awning, Direct Glaze rectangle, and Picture windows.*

SIMULATED CHECKRAIL OPTIONS



Accessibility Options

Opening Control Device

Limits opening to 4" while providing for full egress. ASTM F2090 compliant.

Sash Limiter

Permanently limits sash movement for safety and security.

ACCESSIBILITY OPTIONS



CASEMENT
Window Opening Control Device



AWNING
Window Opening Control Device

* Not available on direct glaze specialty shape windows

Simple and Efficient Installation

Marvin Vivid™ windows and doors bring together design, quality, and performance in one streamlined collection. Vivid products offer a number of installation options and accessories that make it easy to meet project demands.



Nailing Fin

Pre-attached rigid nail fin for easier installation

Factory-Applied Jamb Extensions

Factory-applied jamb extensions save time and labor. We supply 4-7/16", 6-7/16", and 6-13/16" jamb depth in White and Designer Black.

Factory-Installed Screens

Factory-installed screens are a standard offering with operating windows. At no extra cost, we can ship your screens separately to reduce on-site damage prior to installation.

Corner Keys

Integral corner keys keep window and door units square and corners sealed.

Through-Jamb

Available through-jamb and masonry bracket options.

Paintable Interior and Exterior

Ultrex fiberglass exterior and fiberglass reinforced composite interior are paintable and hold their colors better than vinyl or vinyl/wood composites

Factory-Mulled Assemblies

Available with standard factory mulling, reinforced factory mulling, or Prep for Field Mulling. The reinforced mull meets **AAMA 450 specifications** and performs up to PG50 on standard products.

Custom Sizes

Custom sizes are available on windows and doors in 1/4" increments for the perfect fit every time.



MARVIN VIVID™
DIRECT GLAZE WINDOWS,
SWINGING FRENCH DOOR
Ebony



Since 1912, Marvin has been a family-owned and -led company, with a legacy of innovation and commitment to the highest quality. We understand the unique opportunity windows and doors have to improve our spaces and how we feel in them. That's why we never stop pushing what's possible and inventing new solutions to channel fresh air, enhance light quality, and connect with the world around us.

MARVIN.COM

South City
LUMBER & SUPPLY

SERVING BAY AREA BUILDING PROFESSIONALS SINCE 1898

499 Railroad Avenue
South San Francisco, California 94080
(650) 588-5711

southcitylumber.com
info@southcitylumber.com

© 2026 Marvin Lumber and Cedar Co., LLC. All rights reserved.
® Registered trademark of Marvin Lumber and Cedar Co., LLC.

ENERGY STAR® and the ENERGY STAR certification mark are registered US marks.

Part 19983605. January 2026.

Cover Image: Marvin Vivid™ Direct Glaze, Casement windows

Colors shown in printed materials are simulations and may not precisely duplicate product or finish colors. Contact your local Marvin dealer to view actual product and finish color samples.